




# Changzhou Tensun Bearing Co., Ltd.

## NTN 22326UAVS2 Bearing



Bearing No. 22326UAVS2

22326UAVS2 Bearing 2D drawings and 3D CAD models

Size	130x280x93 mm
Bore Diameter	130,000 mm
Outer Diameter	280,000 mm
Width	93,000 mm
d	130,000 mm
D	280,000 mm
H	93,000 mm
Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	28.41
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch - Metric	Metric
Long Description	130MM Straight Bore; 280MM Outside Diameter; 93MM Width; C0-Medium



## Changzhou Tensun Bearing Co., Ltd.

	Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Weight / LBS	62.587
Bore	5.118 Inch   130 Millimeter
Width	3.661 Inch   93 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
Outside Diameter	11.024 Inch   280 Millimeter
bore diameter:	130 mm
operating temperature range:	-40 to 120 ° C
outside diameter:	280 mm
cage material:	Brass
overall width:	93 mm
bearing material:	Through Hardened Steel
bore type:	Straight
cage type:	Machined
outer ring type:	Not Split
precision rating:	Not Rated
internal clearance:	Upper 2/3 of C4 range
finish/coating:	Uncoated
closure type:	Open
outer ring width:	93 mm
lubrication hole type:	Lubrication Groove & Hole



## Changzhou Tensun Bearing Co., Ltd.

inner ring width:	93 mm
dynamic load capacity:	950000 N
fillet radius:	4 mm
static load capacity:	940000 N
series:	223
maximum rpm:	1500 rpm
manufacturer product page:	<a href="#">Click here</a>